





| DRAWING NO.<br>SD029515            |                 | 7                                              |                              |                                      | 6                  |   |                     | 5             |       |      | 4                    |                            |     | 3                |                      |     | 2                |                                       |                        | 1      |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|------------------------------------|-----------------|------------------------------------------------|------------------------------|--------------------------------------|--------------------|---|---------------------|---------------|-------|------|----------------------|----------------------------|-----|------------------|----------------------|-----|------------------|---------------------------------------|------------------------|--------|-----------------------|---|------------------------------|---|--------------------|--------|-----|---|----------|--------------|--|--|--|--|
| CATALOG<br>NUMBER<br><div>10</div> | CONDUCTOR RANGE |                                                |                              |                                      | FIG.<br>NO.        | B | C                   | L<br>(APPROX) | O.D.  | T    | TOOL<br>INDEX<br>NO. | INSTALLATION DATA          |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   | SEE<br>NOTE<br>NO. |        |     |   |          |              |  |  |  |  |
|                                    | ACSR            |                                                | ALUM                         |                                      |                    |   |                     |               |       |      |                      | HYTOOL™ WITH NO. OF CRIMPS |     |                  |                      |     |                  | HYPRESS™ & DIE SET WITH NO. OF CRIMPS |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | AWG<br>Kcmil    | STR                                            | AWG<br>Kcmil                 | STR                                  |                    |   |                     |               |       |      |                      |                            |     | MD4<br>(DIE SET) |                      | MD5 | MD6<br>(DIE SET) |                                       | Y34A                   |        | Y35/Y750              |   | Y48B                         |   | Y486RB             |        | Y60 |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
| D                                  | YCA4R2N         | #4 (.250)<br>(.257)                            | 6-1<br>7-1                   | #4 (.232)                            | 7                  | 1 | 1.61                | 1.25          | 5.66  | .42  | .25                  | 237                        |     |                  | W3-T                 | 5   | MD5-1            | 5                                     | W237<br><div>7</div>   | 8      | A4RYF<br><div>7</div> | 2 | U4RYFT<br><div>7</div>       | 2 |                    |        |     |   |          | <div>3</div> |  |  |  |  |
|                                    | YCA2R2N         | #2 (.316)<br>(.325)                            | 6-1<br>7-1                   | #2 (.292)                            | 7                  | 1 | 1.61                | 1.25          | 5.90  | .52  | .25                  | 239                        |     |                  | W3-T<br>W8-T         | 5   | MD5-1            | 5                                     | W239<br><div>7</div>   | 8      | A2RYF<br><div>7</div> | 2 | U2RYFT<br><div>7</div>       | 2 |                    |        |     |   |          | <div>3</div> |  |  |  |  |
|                                    | YCAK2R4N        |                                                |                              |                                      |                    | 2 | 1.61                | 3.00          | 5.90  |      | .31                  |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCA25R2N        | 1/0 (.398)                                     | 6-1                          | 1/0 (.373)                           | 7, 19              | 1 | 2.39                | .87           | 6.19  | .62  | .19                  | B-G<br>243                 | MD3 | 8                | W4-T<br>W5-T<br>W8-T | 8   | <div>6</div>     | 8                                     | B-G<br>GROOVE<br>W-243 | 8<br>4 | A25RYF                | 2 | U25RYFT                      | 2 | --                 | -      |     |   |          |              |  |  |  |  |
|                                    | YCAK25R4N       |                                                |                              |                                      |                    | 2 | 2.62                | 3.00          | 6.86  |      | .31                  |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCA26R2N        | 2/0 (.447)                                     | 6-1                          | 2/0 (.419)                           | 7, 19              | 1 | 2.43                | .97           | 6.30  | .70  | .22                  | 245                        |     |                  | W5-T                 | 8   | MD5-7            | 8                                     | W245                   | 4      | A26RYF                | 2 | U26RYFT                      | 2 | --<br>C245         | -<br>1 |     |   | L26RYFT1 |              |  |  |  |  |
| C                                  | YCA27R2N        | 3/0 (.502)<br>110.8 (.481)                     | 6-1<br>12-7                  | 3/0 (.470)                           | 7, 19              | 1 | 2.74                | 1.08          | 6.73  | .78  | .25                  | 247                        |     |                  |                      |     |                  |                                       | W247                   | 6      | A27RYF                | 3 | U27RYFT                      | 3 | --<br>C247         | -<br>2 |     |   |          | <div>5</div> |  |  |  |  |
|                                    | YCAK27R4N       |                                                |                              |                                      |                    | 2 | 3.00                | 3.00          | 7.36  |      | .31                  |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCA28R2N        | 4/0 (.563)                                     | 6-1<br>6-7                   | 4/0 (.528)                           | 7, 19              | 1 | 2.80                | 1.21          | 6.83  | .88  | .28                  | 249                        |     |                  |                      |     |                  |                                       | W249                   | 6      | A28RYF                | 3 | U28RYFT                      | 3 | --                 | -      |     |   |          | <div>5</div> |  |  |  |  |
|                                    | YCAK28R4N       |                                                |                              |                                      |                    | 2 | 3.10                | 3.00          | 7.36  |      | .31                  |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCA30R2N        | 266.8 (.609)<br>(.633)<br>(.642)               | 18-1<br>6-7<br>26-7          | 266.8 (.593)                         | 7, 19              | 1 | 2.57                | 1.42          | 6.71  |      | .32                  |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCAK30R4N       |                                                |                              |                                      |                    | 2 | 2.65                | 3.00          | 7.38  | 1.00 | .38                  | 251                        |     |                  |                      |     |                  |                                       |                        |        | A30RYF                | 4 | U30RYFT                      | 4 | --                 | -      |     |   |          |              |  |  |  |  |
| B                                  | YCA321R2N       | 336.4 (.684)                                   | 18-1                         | 336.4 (.666)<br>350 (.678)<br>(.681) | 19<br>19<br>37, 61 | 1 | 2.68                | 1.54          | 6.95  | 1.12 | .41                  | 321                        |     |                  |                      |     |                  |                                       |                        |        | A321RYF<br>A301AYD    | 4 | U705<br>U321RYFT<br>U301AYDT | 4 | --                 | -      |     |   |          | <div>4</div> |  |  |  |  |
|                                    | YCAK321R4N      |                                                |                              |                                      |                    | 2 | 2.74                | 3.00          | 7.09  |      | .38                  |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCA33R2N        | 336.4 (.721)<br>(.741)                         | 26-7<br>30-7                 | 397.5 (.724)                         | 19                 | 1 | 3.00                | 1.60          | 7.29  | 1.14 | .35                  | 316                        |     |                  |                      |     |                  |                                       |                        |        |                       |   | U33RYFT<br>U705              | 4 | --                 | -      | --  | - |          | <div>5</div> |  |  |  |  |
|                                    | YCAK33R4N       |                                                |                              |                                      |                    | 2 | 3.05                | 3.00          | 7.34  |      | .38                  |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCA35R2N        | 397.5 (.783)<br>(.743)<br>(.806)               | 26-7<br>18-1<br>30-7         | 477 (.793)<br>(.795)<br>500 (.813)   | 19<br>37<br>37, 61 | 1 | 3.02                | 1.84          | 7.44  | 1.25 | .35                  | 317                        |     |                  |                      |     |                  |                                       |                        |        |                       |   | U35RYFT                      | 4 | --                 | -      |     |   |          | <div>5</div> |  |  |  |  |
|                                    | YCAK35R4N       |                                                |                              |                                      |                    | 2 | 3.05                | 3.00          | 7.34  |      | .38                  |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
| A                                  | YCA361R2N       | 477 (.814)                                     | 18-1                         | 500 (.813)                           | 37, 61             | 1 | 3.24                | 1.82          | 7.69  | 1.30 | .44                  | 327                        |     |                  |                      |     |                  |                                       |                        |        |                       |   | U361RYFT                     | 5 | --                 | -      |     |   |          | <div>5</div> |  |  |  |  |
|                                    | YCAK361R4N      |                                                |                              |                                      |                    | 2 | 3.32                | 3.00          | 7.65  |      | .38                  |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCA37R2N        | 477 (.846)<br>(.858)<br>(.883)<br>556.5 (.879) | 24-7<br>26-7<br>30-7<br>18-1 | 556.5 (.856)<br>(.858)               | 19<br>37           | 1 | 3.65<br>1.94<br>MAX | 8.15          |       | 1.36 | .415                 | 261                        |     |                  |                      |     |                  |                                       |                        |        |                       |   | U261                         | 5 | --                 | -      | --  | - |          | <div>5</div> |  |  |  |  |
|                                    | YCAK37R4N       |                                                |                              |                                      |                    | 2 | 3.73                | 3.00          | 8.09  |      | .38                  |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      | M                          |     |                  |                      |     |                  |                                       |                        |        |                       |   | U35RYFT                      | 4 |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCA521R2N       | 1272 (1.345)                                   | 45-7                         |                                      |                    | 1 | 6.41                | 3.09          | 11.50 | 2.25 | .8                   | 648                        |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          | <div>5</div> |  |  |  |  |
|                                    | YCA521R4N       |                                                |                              |                                      |                    | 3 |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 | 1590 (1.508)                                   | 45-7                         |                                      |                    |   |                     |               |       | 2.50 |                      | 729                        |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCAK549R4N      |                                                |                              |                                      |                    | 2 | 8.44                | 3.00          | 13.69 |      | 1.00                 |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCA463A4N       |                                                |                              | 1600 (1.459)                         | 127                | 2 | 6.50                | 3.00          | 11.62 | 2.26 | .75                  | 478                        |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    | YCA28R2NBL5     | 4/0 (.563)                                     | 6-1<br>7-1                   | 4/0 (.528)                           | 7, 19              | 1 | 5.31                | 1.21          | 9.03  | .88  | .28                  | 249                        |     |                  |                      |     |                  |                                       | W249                   | 12     | A28RYF                | 6 | U28RYFT                      | 6 | C249               | 5      |     |   |          | <div>5</div> |  |  |  |  |
|                                    | YCAK28R4NBL5    | 4/0 (.563)                                     | 6-1<br>7-1                   | 4/0 (.528)                           | 7, 19              | 2 | 5.00                | 3.00          | 9.26  | .88  | .31                  | 249                        |     |                  |                      |     |                  |                                       | W249                   | 12     | A28RYF                | 6 | U28RYFT                      | 6 | C249               | 5      |     |   |          | <div>5</div> |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |
|                                    |                 |                                                |                              |                                      |                    |   |                     |               |       |      |                      |                            |     |                  |                      |     |                  |                                       |                        |        |                       |   |                              |   |                    |        |     |   |          |              |  |  |  |  |



| DRAWING NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                 |       |                | 7     |             |      |      | 6             |      |     |                      | 5                                    |       | 4        |   | 3            |        | 2         |   | 1                                                                                     |                                                                                     |                    |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|----------------|-------|-------------|------|------|---------------|------|-----|----------------------|--------------------------------------|-------|----------|---|--------------|--------|-----------|---|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------|--|
| SD029515                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |       |                |       |             |      |      |               |      |     |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| CATALOG<br>NUMBER<br>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | CONDUCTOR RANGE |       |                |       | FIG.<br>NO. | B    | C    | L<br>(APPROX) | O.D. | T   | TOOL<br>INDEX<br>NO. | INSTALLATION DATA                    |       |          |   |              |        |           |   |                                                                                       |                                                                                     | SEE<br>NOTE<br>NO. |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ACSR            |       | ALUM           |       |             |      |      |               |      |     |                      | HYPRESS™& DIE SET WITH NO. OF CRIMPS |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | AWG<br>Kcmil    | STR   | AWG<br>Kcmil   | STR   |             |      |      |               |      |     |                      | Y45L                                 |       | Y35/Y750 |   | Y48B         |        | Y486RB    |   | Y60                                                                                   |                                                                                     |                    |  |
| YCA39R2N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 556.5 (.914)    | 24-7  |                |       | 1           | 3.59 | 2.08 | 8.31          | 1.50 | .53 | 608                  | S-608                                | 2     | U39RYFT  | 6 | --           | -      | --        | - |                                                                                       |  |                    |  |
| YCAK39R4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | (.927)          | 26-7  |                |       | 2           | 3.56 | 3.00 | 8.06          |      | .50 |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| YCA361A2N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                 |       |                |       | 1           | 3.59 | 2.08 | 8.22          | 1.50 | .53 | 469                  | S-469                                | 4     |          |   | C469         | 2      |           |   |                                                                                       |                                                                                     |                    |  |
| YCAK361A4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |       | 636 (.918)     | 37    | 2           | 3.56 | 3.00 | 8.55          |      | .50 |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| YCA43R2N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 605 (.994)      | 30-19 | 795 (1.026)    | 37    | 1           | 5.30 | 2.48 | 10.28         |      | .78 |                      | S-292                                |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| YCAK43R4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 636 (.977)      | 24-7  | (1.028)        | 61    | 2           | 5.25 | 3.00 | 9.69          |      | .62 |                      | S-578                                | 6     |          |   | --           | -      | --        | - |    |                                                                                     |                    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | (.990)          | 26-7  | 700 (.964)     | 61    |             |      |      |               | 1.84 |     | 292<br>OR<br>319     | S-319                                |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | (1.019)         | 30-19 | 750 (.998)     | 61    |             |      |      |               |      |     |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 666.6 (1.000)   | 24-7  |                |       |             |      |      |               |      |     |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| YCA391A2N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                 |       | 795 (1.026)    | 37    | 1           | 5.24 | 2.32 | 10.06         | 1.67 | .58 | 342                  | S-342                                | 6     |          |   | --           | -      |           |   |                                                                                       |                                                                                     |                    |  |
| YCAK391A4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |       | 750 (.998)     | 61    | 2           | 5.25 | 3.00 | 9.88          |      | .56 |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| YCA453R2N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 795 (1.04)      | 36-1  |                |       | 1           | 5.31 | 2.52 | 10.28         |      | .70 | 292<br>OR<br>578     | S-292                                | 6     |          |   | C292         | 3      | F412RYF-1 | 3 |    |                                                                                     |                    |  |
| YCAK453R4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 715.5 (1.051)   | 26-7  |                |       | 2           | 5.25 | 3.00 | 9.64          | 1.84 | .62 |                      | S-578                                |       |          |   | --           | -      | --        | - |                                                                                       |                                                                                     |                    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 795 (1.063)     | 45-7  |                |       |             |      |      |               |      |     |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| YCA45R2N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 795 (1.093)     | 54-7  | 900 (1.094)    | 61,91 | 1           | 5.31 | 2.55 | 10.28         |      | .65 |                      | S-352                                |       |          |   |              |        |           |   |    |                                                                                     |                    |  |
| YCAK45R4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | (1.108)         | 26-7  | 954 (1.126)    | 37,61 | 2           | 5.25 | 3.00 | 9.64          | 1.84 | .62 | 352                  |                                      | 6     |          |   |              |        |           |   |    |                                                                                     |                    |  |
| YCAK45R4N30                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                 |       | 1000 (1.152)   | 61    | 4           | 5.25 | 3.00 | 10.00         |      | .62 |                      | S579                                 |       |          |   | C352<br>C579 | 3      | F45RYF    | 3 |                                                                                       |                                                                                     |                    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 1033.5 (1.186)  | 36-1  |                |       |             |      |      |               |      | --  |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| YCA48R2N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1033.5 (1.219)  | 45-7  |                |       | 1           | 4.75 | 2.89 | 10.00         | 2.12 | .86 | 575                  |                                      |       |          |   | C575         | 3      | F48RYF    | 3 |  |                                                                                     |                    |  |
| YCA48R4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 954 (1.196)     | 54-7  |                |       |             |      |      |               |      |     |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 954 (1.165)     | 45-7  |                |       | 3           | 4.75 | 3.00 | 10.00         |      | .77 |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 900 (1.162)     | 54-7  |                |       |             |      |      |               |      |     |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| YCA441A2N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                 |       | 1033.5 (1.170) | 37    | 1           | 4.73 | 2.85 | 10.00         |      | .86 |                      |                                      |       |          |   | C575         | 3      | F48RYF    | 3 |  |                                                                                     |                    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                 |       | (1.172)        | 61    |             |      |      |               | 2.12 |     | 575                  |                                      |       |          |   |              |        |           |   |  |                                                                                     |                    |  |
| YCA441A4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                 |       | 1113 (1.216)   | 61    | 3           | 4.75 | 3.00 | 10.00         |      | .77 |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| YCA49R2N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1033.5 (1.246)  | 54-7  |                |       | 1           | 4.90 | 2.92 | 10.16         |      | .80 |                      |                                      |       |          |   |              |        |           |   |  |                                                                                     |                    |  |
| YCAK49R4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1113 (1.259)    | 45-7  |                |       | 2           | 4.88 | 3.00 | 9.50          | 2.12 | .75 | 422                  |                                      |       |          |   |              | F49RYF | 3         |   |                                                                                       |                                                                                     |                    |  |
| YCA49R4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |       |                |       | 3           | 4.90 | 3.16 | 10.16         |      | .69 |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| YCA451A2N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                 |       |                |       | 1           | 4.92 | 3.00 | 10.19         | 2.12 | .69 | 422                  |                                      |       |          |   |              | F49RYF | 3         |   |  |                                                                                     |                    |  |
| YCA451A4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1113 (1.293)    | 54-19 | 1272 (1.309)   | 61    | 3           | 4.92 | 3.00 | 10.19         |      | .69 |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                 |       |                |       |             |      |      |               |      |     |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |
| YCA51R4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1192.5 (1.333)  | 54-13 |                |       |             |      |      |               | 2.35 | .91 | 684                  |                                      |       |          |   |              | F51RYR | 3         |   |                                                                                       |                                                                                     |                    |  |
| YCAK50R4N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1113 (1.293)    | 54-19 | 1272 (1.300)   | 61    | 2           | 4.88 | 3.00 | 9.50          | 2.12 | .75 | 422                  |                                      |       |          |   |              | F49RYF | 3         |   |  |                                                                                     |                    |  |
| YCA391A2N30                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                 |       | 795 (1.026)    | 37    | 4           | 5.24 | 2.32 | 10.00         | 1.67 | .58 | 342                  |                                      | S-342 | 6        |   |              | C342   | 3         |   |                                                                                       |                                                                                     |                    |  |
| <div><div>TO ORDER BURNDY® PRODUCTS CALL<br/>UNITED STATES<br/>1-800-346-4175 (LONDONDERRY, NH)<br/>CANADA:<br/>1-800-361-6975 (QUEBEC)<br/>1-800-387-6487 (ALL OTHER PROVINCES)<br/>FOR PRODUCT INFO: <a href="http://www.burndy.com">http://www.burndy.com</a></div><div><div>HYLUG™(ACSR &amp; AL.) NEMA</div><div>ITEM NO: --<br/>CAT. NO: SEE TABLE<br/>DRAWN BY: B.L.C. 7-14-61<br/>CHECKER: EPG 7-26-61<br/>DSN APPVL: --<br/>MFG APPVL: --<br/>QA APPVL: --<br/>MKT APPVL: --<br/>PROD FAM: --<br/>PROJECT #: --<br/>DOCUMENT TYPE: Sales<br/>REL LEVEL: Released</div><div><div>SCALE: 1:1<br/>DRAWING NO<br/>REV<br/>SD029515<br/>SHEET 3 OF 4</div></div></div></div> |                 |       |                |       |             |      |      |               |      |     |                      |                                      |       |          |   |              |        |           |   |                                                                                       |                                                                                     |                    |  |

REV: PE0200

8

7

6

5

4

3

2

1


A

B

C

D



| DRAWING NO.                                                                       |                                                                | 7                                      |                                                    | 6                    |     | 5           |      | 4    |              | 3             |      | 2                 |                      | 1                                                                                                                                                                                                                                                        |                         |      |                                                                                     |        |              |              |       |                                       |              |                                                                                                                                                                                                                                                                                           |              |                  |                                                                                                                                                                         |                         |                                                                                     |                                                                                                                                                                                |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------|----------------------------------------------------|----------------------|-----|-------------|------|------|--------------|---------------|------|-------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------|-------------------------------------------------------------------------------------|--------|--------------|--------------|-------|---------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| SD029515                                                                          |                                                                |                                        |                                                    |                      |     |             |      |      |              |               |      |                   |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       |              |                                                                                                                                                                                                                                                                                           |              |                  |                                                                                                                                                                         |                         |                                                                                     |                                                                                                                                                                                |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
|                                                                                   |                                                                |                                        |                                                    |                      |     |             |      |      |              |               |      |                   |                      | REV                                                                                                                                                                                                                                                      | DATE                    |      | DESCRIPTION                                                                         |        |              |              | ECO   | BY                                    | CHECK        |                                                                                                                                                                                                                                                                                           |              |                  |                                                                                                                                                                         |                         |                                                                                     |                                                                                                                                                                                |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
|                                                                                   |                                                                |                                        |                                                    |                      |     |             |      |      |              |               |      |                   |                      | K                                                                                                                                                                                                                                                        | 2018-09-27 01:00:00 EDT |      | UPDATED THICKNESS OF YCA37R2N TO .415                                               |        |              |              | 49965 | NG                                    | RG           |                                                                                                                                                                                                                                                                                           |              |                  |                                                                                                                                                                         |                         |                                                                                     |                                                                                                                                                                                |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
|  | CATALOG<br>NUMBER                                              | CONDUCTOR RANGE                        |                                                    |                      |     | FIG.<br>NO. | B    | C    | H            | L<br>(APPROX) | O.D. | T                 | TOOL<br>INDEX<br>NO. | INSTALLATION DATA                                                                                                                                                                                                                                        |                         |      |                                                                                     |        |              |              |       |                                       |              |                                                                                                                                                                                                                                                                                           |              |                  |                                                                                                                                                                         |                         |                                                                                     | SEE<br>NOTE<br>NO.                                                                                                                                                             |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
|                                                                                   |                                                                | ACSR                                   |                                                    | ALUM                 |     |             |      |      |              |               |      |                   |                      | HYTOOL™ WITH NO. OF CRIMPS                                                                                                                                                                                                                               |                         |      |                                                                                     |        |              |              |       | HYPRESS™ & DIE SET WITH NO. OF CRIMPS |              |                                                                                                                                                                                                                                                                                           |              |                  |                                                                                                                                                                         |                         |                                                                                     |                                                                                                                                                                                |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
|                                                                                   |                                                                | AWG<br>Kcmil                           | STR                                                | AWG<br>Kcmil         | STR |             |      |      |              |               |      |                   |                      | Y34A                                                                                                                                                                                                                                                     | Y35/Y750                | Y45L | Y48B                                                                                | Y486RB | Y60          |              |       |                                       |              |                                                                                                                                                                                                                                                                                           |              |                  |                                                                                                                                                                         |                         |                                                                                     |                                                                                                                                                                                |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
|                                                                                   |                                                                |                                        |                                                    |                      |     |             |      |      |              |               |      |                   |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       |              |                                                                                                                                                                                                                                                                                           |              |                  |                                                                                                                                                                         |                         |                                                                                     |                                                                                                                                                                                |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCAK391A4N90                                                                      |                                                                |                                        | 795 (1.026)<br>750 (.998)                          | 37<br>61             | 5   | 5.25        | 3.00 | 6.50 | 4.25         | 1.67          | .56  | 342               |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       | S342                                  | 6            | C342                                                                                                                                                                                                                                                                                      | 3            |                  |                                                                                                                                                                         |                         |                                                                                     |                                                                                                                                                                                |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCAK521R4N                                                                        | 1272 (1.345)                                                   | 45.7                                   |                                                    |                      | 2   | 6.34        | 3.00 |      | 10.59        | 2.255         | .75  | 648               |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       |              |                                                                                                                                                                                                                                                                                           | F49RYF-I     | 4                | L49RYFI                                                                                                                                                                 | 4                       |  |                                                                                                                                                                                |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCAK451A4N90                                                                      |                                                                |                                        | 1272 AAC (1.300)<br>1351.5 AAC (1.340)             | 61<br>61             | 5   | 4.88        | 3.00 | 6.15 | 4.69         | 2.13          | .75  | 422               |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       |              |                                                                                                                                                                                                                                                                                           | F49RYF       | 3                |   |                         |                                                                                     |                                                                                                                                                                                |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA25R2N30                                                                        | 1/0 (.398)                                                     | 6-1                                    | 1/0 (.373)                                         | 7,19                 | 4   | 2.39        | .87  |      | 5.81         | .62           | .19  | BG<br>243         | MD3                  | 8                                                                                                                                                                                                                                                        | W4-T<br>W5-T<br>W8-T    | 8    |  | 8      | W-BG<br>W243 | 8<br>4       | A243  | 2                                     | U243         | 2                                                                                                                                                                                                                                                                                         |              | C243             | 1                                                                                                                                                                       |                         | L243                                                                                | 1                                                                                                                                                                              |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA26R2N30                                                                        | 2/0 (.447)                                                     | 6-1                                    | 2/0 (.419)                                         | 7,19                 | 4   | 2.43        | .97  |      | 5.91         | .70           | .22  | 245               |                      |                                                                                                                                                                                                                                                          | W5-T                    | 8    | MD5-7                                                                               | 8      | W245         | 4            | A245  | 2                                     | U245         | 2                                                                                                                                                                                                                                                                                         |              | C245             | 1                                                                                                                                                                       |                         | L245                                                                                | 1                                                                                                                                                                              |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA28R2N30                                                                        | 4/0 (.563)                                                     | 6-1<br>6-7                             | 4/0 (.528)                                         | 7,19                 | 4   | 2.80        | 1.21 |      | 6.38         | .88           | .28  | 249               |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        | W249         | 6            | A249  | 3                                     | U249         | 3                                                                                                                                                                                                                                                                                         |              | C249             |                                                                                                                                                                         |                         | L249                                                                                |                                                                                             |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA321R2N30                                                                       | 336.4 (.684)                                                   | 18-1                                   | 336.4 (.666)<br>350 (.678)<br>(.681)               | 19<br>19<br>37,61    | 4   | 2.68        | 1.54 |      | 6.45         | 1.12          | .41  | 490<br>705<br>321 |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              | A490<br>A321 | 4     | U490<br>U705<br>U321                  | 4            |                                                                                                                                                                                                                                                                                           | C490<br>C321 |                  | F490                                                                                                                                                                    |                         | L490                                                                                | <br>     |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA33R2N30                                                                        | 336.4 (.721)<br>(.741)                                         | 26-7<br>30-7                           | 397.5 (.724)                                       | 19                   | 4   | 3.00        | 1.60 |      | 6.69         | 1.14          | .35  | 316<br>705        |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       | U316<br>U705 | 4                                                                                                                                                                                                                                                                                         |              | C316             |                                                                                                                                                                         | F316                    |                                                                                     | L316                                                                                                                                                                           |    |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA33R2N90                                                                        | 336.4 (.721)<br>(.741)                                         | 26-7<br>30-7                           | 397.5 (.724)                                       | 19                   | 5   | 3.00        | 1.60 | 5.32 | 4.04         | 1.14          | .35  | 316<br>705        |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       | U316<br>U705 | 4                                                                                                                                                                                                                                                                                         |              | C316             |                                                                                                                                                                         |                         | L317                                                                                |                                                                                                                                                                                |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA35R2N30                                                                        | 397.5 (.783)<br>(.806)<br>(.743)                               | 26-7<br>30-7<br>18-1                   | 477 (.783)<br>(.795)<br>500 (.813)                 | 19<br>37<br>37,61    | 4   | 3.02        | 1.84 |      | 6.84         | 1.25          | .35  | 317               |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       |              | U317                                                                                                                                                                                                                                                                                      | 4            |                  | C317                                                                                                                                                                    |                         | F317                                                                                |                                                                                                                                                                                | L317                                                                                  |    |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA37R2N90                                                                        | 477 (.846)<br>(.858)<br>(.883)<br>556.5 (.879)                 | 24-7<br>26-7<br>30-7<br>18-1           | 556.5 (.856)<br>(.858)                             | 19<br>37             | 5   | 3.69        | 1.90 | 5.61 | 3.95         | 1.36          | .415 | 261               |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       |              | U261                                                                                                                                                                                                                                                                                      | 5            |                  | C261                                                                                                                                                                    | 2                       | F37RYF                                                                              | 2                                                                                                                                                                              |                                                                                       |  |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA39R2N30                                                                        | 556.5 (.914)<br>(.927)                                         | 24-7<br>26-7                           |                                                    |                      | 4   | 3.59        | 2.08 |      | 7.59         | 1.50          | .53  | 608               |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       |              | U608                                                                                                                                                                                                                                                                                      | 6            | S608             | 2                                                                                                                                                                       | C608                    | 2                                                                                   | F608                                                                                                                                                                           | 2                                                                                     | L608                                                                                  | 2 |                                                  |  |  |  |  |  |  |  |  |  |
| YCA453R2N30                                                                       | 795 (1.04)<br>(1.063)<br>715.5(1.051)                          | 36-1<br>45-7<br>26-7                   |                                                    |                      | 4   | 5.31        | 2.53 |      | 9.25         | 1.84          | .70  | 292               |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       |              | S292                                                                                                                                                                                                                                                                                      | 6            | C292             | 3                                                                                                                                                                       | F292                    | 3                                                                                   | L292                                                                                                                                                                           | 3                                                                                     |  |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA321R2N90                                                                       | 336.4 (.684)                                                   | 18-1                                   | 336.4 (.666)<br>350 (.678)<br>(.681)               | 19<br>19<br>37,61    | 6   | 2.68        | 1.54 | 4.69 | 2.39         | 1.12          | .41  | 490<br>705<br>321 |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              | A490<br>A321 | 4     | U490<br>U705<br>U321                  | 4            |                                                                                                                                                                                                                                                                                           | C490<br>C321 |                  | F490                                                                                                                                                                    |                         | L490                                                                                | <br> |                                                                                       |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA35R2N90TN                                                                      | 397.5 (.783)<br>(.806)<br>(.743)                               | 26-7<br>30-7<br>18-1                   | 477 (.783)<br>(.795)<br>500 (.813)                 | 19<br>37<br>37,61    | 5   | 3.02        | 1.84 | 5.04 | 4.14<br>MAX. | 1.25          | .35  | 317               |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       |              | U317                                                                                                                                                                                                                                                                                      | 4            |                  | C317                                                                                                                                                                    |                         | F317                                                                                |                                                                                                                                                                                | L317                                                                                  |  |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| YCA43R2N90                                                                        | 605 (.994)<br>636 (.977)<br>(.990)<br>(1.019)<br>666.6 (1.000) | 30-19<br>24-7<br>26-7<br>30-19<br>24-7 | 795 (1.026)<br>(1.028)<br>700 (.964)<br>750 (.998) | 37<br>61<br>61<br>61 | 5   | 5.30        | 2.48 | 8.73 | 4.40         | 1.84          | .78  | 292<br>OR<br>319  |                      |                                                                                                                                                                                                                                                          |                         |      |                                                                                     |        |              |              |       |                                       |              | S-292<br>S-578<br>S-319                                                                                                                                                                                                                                                                   | 6            | C292<br><br>C319 | 3                                                                                                                                                                       | F412RYF-I<br><br>F43RYF | 3                                                                                   |                                                                                                                                                                                |  |                                                                                       |   |                                                                                                                                       |  |  |  |  |  |  |  |  |  |
|                                                                                   |                                                                |                                        |                                                    |                      |     |             |      |      |              |               |      |                   |                      | TO ORDER BURNDY® PRODUCTS CALL<br>UNITED STATES<br>1-800-346-4175 (LONDONDERRY, NH)<br><br>CANADA:<br>1-800-361-6975 (QUEBEC)<br>1-800-387-6487 (ALL OTHER PROVINCES)<br><br>FOR PRODUCT INFO: <a href="http://www.burndy.com">http://www.burndy.com</a> |                         |      |                                                                                     |        |              |              |       |                                       |              | HYLUG™ (ACSR & AL.) NEMA<br>ITEM NO: --<br>CAT. NO: SEE TABLE<br>DRAWN BY: J.R.H 12-8-69<br>CHECKER: J.P.S 12-10-69<br>DSN APPVL: M.G 12-10-69<br>MFG APPVL: -- --<br>QA APPVL: -- --<br>MKT APPVL: -- --<br>PROD FAM: --<br>PROJECT #: --<br>DOCUMENT TYPE: Sales<br>REL LEVEL: Released |              |                  |                                                                                                                                                                         |                         |                                                                                     |                                                                                                                                                                                |                                                                                       |                                                                                       |   | <br>SCALE: 1:1<br>DRAWING NO: SD029515<br>REV: K |  |  |  |  |  |  |  |  |  |

REV: PE0200