



AS-i compact module K60 analog 4 AI, IP67 4 x input, resistor Pt100, Ni100, 0..600 ohm for 4-wire sensors 4 x M12 socket Mounting plate 3RK1901-0CA00 must be ordered separately

General technical data		
design of the product		analog I/O modules for operation in the field, IP67 - K60
Type of device		analog input modules for thermal resistor
Type		4 inputs
design of the slave type		analog slave
I/O configuration		7
ID code		3
type of electrical connection of the inputs and outputs		M12 screw-type terminals
consumed current from profile conductors of the AS-Interface at 30 V maximum	mA	100
operating voltage according to AS-Interface specification	V	26.5 ... 31.6
Current consumption when connected		
• 2 sensors		
— without Uaux infeed max	mA	46
— from Uaux infeed max.	mA	500
Voltage supply auxiliary voltage additional for sensors Uaux	V	24 ... 30
profile		7.3
Measuring/output value		thermal resistor/resistor
Measuring/output range		adjustable: PT100 / Ni100 / 0 ... 600 Ohm
Smoothing function		configurable
Line filter	Hz	50
Channels active		4
A/D resolution for analog inputs/outputs	bit	16
type of connection technology		4-conductor
Inputs		
number of analog inputs		4
Inputs sensors		2/3/4-conductor sensors
input variable		Ohm
design of the sensor at the analog input is supported		
• thermocouple		No
• resistor temperature sensor		Yes
product function input variable parameterizable		Yes
number of analog outputs		0
Status display		
• AUX PWR (Uaux)		green LED
• AS-Interface		green LED

- FAULT

red LED

Ambient conditions

ambient temperature

- during operation
- during storage

°C

-20 ... +60

°C

-40 ... +85

protection class IP

IP67

Mechanical data

width

mm

60

height

mm

152

depth

mm

29

fastening method

standard rail mounting/wall mounting using mounting plate for K60 compact module

Certificates/ approvals

General Product Approval

EMC

Declaration of Conformity



[Miscellaneous](#)

Shipping Approval



other



[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RK1207-3BQ44-0AA3>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RK1207-3BQ44-0AA3>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<https://support.industry.siemens.com/cs/ww/en/ps/3RK1207-3BQ44-0AA3>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RK1207-3BQ44-0AA3&lang=en







last modified:

1/18/2021