CERTIFICATE OF COMPLIANCE

Certificate Number E491171

Report Reference E491171-20191122

Issue Date 2020-AUGUST-14

Issued to: RITTAL GmbH & Co. KG

Auf dem Stuetzelberg

35745 Herborn GERMANY

This certificate confirms that E representative samples of E

ENVIRONMENTAL-RATED ACCESSORIES FOR

ENCLOSURES

See Addendum Page for Models

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 50E & CSA C22.2 No. 94.2, Enclosures For Electrical

Equipment, Environmental Considerations;

UL 50 & CSA C22.2 No. 94.1, Enclosures For Electrical

Equipment, Non-Environmental Considerations; UL 508A & CSA C22.2 No. 14-13, Industrial Control

Equipment

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Barrelly

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Certificate Number

E491171

Report Reference Issue Date E491171-20191122 2020-AUGUST-14

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

AX Metal Gland Plate - with metric single ring knockouts models 2571.100, 2572.100, 2573.100, 2574.100, 2575.100, 2576.100, 2577.100.*

KX Metal Gland Plate - with metric single ring knockouts model 1581.200.*

AX Metal Gland Plate - models 5051.395, 5051.396, 5051.397, 5051.398, 5051.399, 5051.400, 5051.401.*

KX Metal Gland Plate - model 5051.405.*

AX Comfort Handle - models 2435.100, 2435.200, 2435.400.

AX mini-comfort handle - models 2537.100, 2537.200, 2537.300, 1485.600.

AX, KX pole clamp - model 2584.100.*

AX, KX wall mounting brackets - for sheet steel models 1590.010, 2508.020, 2503.020.

AX, KX wall mounting brackets - for stainless steel models 1594.010, 2433.010, 2433.510.

AX 180° hinges - model 2449.010.

AX Base Plinth - 100 mm High models 2820.061, 2820.081, 2820.101, 2820.121, 2820.310 and 2820.410.*

AX Base Plinth - 200 mm High models 2820.062, 2820.082, 2820.102, 2820.122, 2820.310 and 2820.410.*

AX Plastic Gland Plate - with membranes models 2561.300, 2562.300, 2563.300, 2564.300, 2565.300, 2566.300, and 2567.300.

AX Plastic Gland Plate - with knockouts models 2561.200, 2562.200, 2563.200, 2564.200, 2565.200, 2566.200, and 2567.200.

AX baying kit - 1199.100

AX eybolts - 2509.010

Barrelle

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference E491171

Report Reference Issue Date E491171-20191122 2020-AUGUST-14

AX protection canopy – models 2361.010, 2472.010, 2362.010, 2473.010, 2476.010, 2474.010, 2475.010, 2363.010.*

*=Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.

Bambles

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

