



# SD-I-U-CAN

- UNIVERSAL Gateway for the series-wiring of the diagnostic signals of safety switchgear with integrated SD interface.
- Comprehensive volumes of status and diagnostic data of the SD devices are transmitted to the control system through the field bus interface.
- Series-wiring of the diagnostic lines of max. 31 safety switchgear
- Series-wiring of different devices possible
- Reduced wiring efforts and costs as a result of the series-wiring of the safety channels and the diagnostic cables in the field.
- Automatic addressing of the safety switchgear in the SD interface

## Data

Ordering data	
Note (Delivery capacity)	Not available!
EAN (European Article Number)	4030661448862
General data	
Gross weight	180 g
General data - Features	
Integral System Diagnostics, status	Yes
Number of LEDs	1
Mechanical data	
Mounting	Snaps onto standard DIN rail to EN 60715

### Mechanical data - Connection technique

Terminal Connector

Cage clamps

#### **Mechanical data - Dimensions**

Width	50 mm
Height	100 mm
Depth	80 mm

#### **Ambient conditions**

Degree of protection of the enclosure	IP20
Ambient temperature, minimum	+0 °C
Ambient temperature, maximum	+55 °C
Storage and transport temperature, minimum	-25 °C
Storage and transport temperature, maximum	+75 °C
Relative humidity, minimum	30 %
Relative humidity, maximum	85 %
Note (Relative humidity)	non-condensing
Resistance to vibrations to EN 60068-2-6	10 57 Hz, Amplitude 0.35 mm 57 150 Hz, with 5 g
Restistance to shock	10 g

## **Ambient conditions - Insulation value**

Rated insulation voltage U <sub>i</sub>	32 V
Rated impulse withstand voltage U <sub>imp</sub>	0.5 kV
Overvoltage category	II
Degree of pollution to VDE 0110	2

Electrical data		
Rated operating voltage	24 VDC, - 15 % / + 20 % (stabilised PELV)	
Operating current	500 mA	
Electrical data - Communication protocols		
Field bus	CANopen	
Electrical data - Electromagnetic compatibility (EMC)		
Interfering radiation	IEC 61000-6-4 (2002)	
Other data		
Note (applications)	Safety sensor	

Guard system

Schmersal, Inc., 15 Skyline Drive, Hawthorne, NY 10532

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible. Generated on: 11/9/2021, 9:47 AM