

PRODUCT-DETAILS

308

1-1/4 STRAIGHT TITEBITE CON NON-INS



General Information

Extended Product Type	308
Product ID	7TAA106030R0001
EAN	0786210003085
Catalog Description	1-1/4 STRAIGHT TITEBITE CON NON-INS
Long Description	Metal-Clad and Armored Cable Fitting, Straight, Trade Size 1-1/4 Inch, Knockout Size 1-1/4 Inch, Cable Range 1.562 to 1.750 Inch, Malleable Iron with Zinc Plating

Ordering

EAN	0786210003085
-----	---------------

Dimensions

Product Net Weight	.59 lb 267.574 g
--------------------	---------------------

Container Information

Package Level 1 Units	5 piece
Package Level 1 Width	4.5 in 114 mm
Package Level 1 Height	6 in 152 mm

Package Level 1 Depth / Length	4 in 102 mm
Package Level 2 Units	10 piece
Package Level 2 Width	5.4 in 137 mm
Package Level 2 Height	7.3 in 185 mm
Package Level 2 Depth / Length	9.2 in 234 mm

Additional Information

Application	To Connect and Effectively Bond Metal-Clad Cables, Armored Cable, and Flexible Metal Conduit to a Box or Enclosure
Brand / Label	T&B Cord & Cable Fittings
Color	Metallic
Insulation Material	No
Material	Malleable Iron
Number of Batteries	0
Product Name	T&B BX/FLX/MC FITTINGS
Product Type	Armored Cable/Flexible Metal Conduit Fittings
Size	1-1/4 Inch
Special Functions	Easy to Install with Double Grip Saddle, Connectors are Completely Salvageable
Standards	UL E23018, CSA
Surface Finishing	Electro Zinc Plated
UPC	786210003085

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	308
Instructions and Manuals	308

Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121419
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4573 >> Flex connectors

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

