

PRODUCT-DETAILS

8220

3/4 IN THREADLESS COUPLING



General Information

Extended Product Type	8220
Product ID	7TAD013160R0024
EAN	5414363183129
Catalog Description	3/4 IN THREADLESS COUPLING
Long Description	3/4 Inch Coupling, Malleable Iron for Use with Threadless Rigid/IMC Conduit

Ordering

EAN	5414363183129
-----	---------------

Dimensions

Product Net Weight	.305 lb 138.322 g
--------------------	----------------------

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	8 in 203 mm
Package Level 1 Depth /	4 in

Length	102 mm
Package Level 2 Units	50 piece
Package Level 2 Width	7.2 in 183 mm
Package Level 2 Height	10.3 in 262 mm
Package Level 2 Depth / Length	9.6 in 244 mm

Additional Information

Application	To Couple and Effectively Bond Threaded Ends of Rigid Metal Conduit/Intermediate Conduit Where Neither Length of Conduit Can Be Roated
Brand / Label	T&B Rigid Fittings
Material	Malleable Iron
Nominal Size	3/4 in
Number of Batteries	0
Product Name	T&B RIGID FITTINGS
Product Type	Compression Couplings & Connectors
Special Functions	Eliminate Conduit Threading.
Standards	UL E23018, CSA
UPC	786210082202

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	8220
Instructions and Manuals	8220

Classifications

ETIM 6	EC000939 - Coupler for installation tubes
ETIM 7	EC000939 - Coupler for installation tubes
UNSPSC	39131707
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5548 >> Electrical conduit coupling

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Rigid Cable Protection Systems

