

PRODUCT-DETAILS

8420

1 1/4 THREADLESS COUPLING



General Information

Extended Product Type	8420
Product ID	7TAD013160R0030
EAN	5414363146568
Catalog Description	1 1/4 THREADLESS COUPLING
Long Description	1-1/4 Inch Coupling, Malleable Iron for Use with Threadless Rigid/IMC Conduit

Ordering

EAN	5414363146568
-----	---------------

Dimensions

Product Net Weight	1.19 lb 539.683 g
--------------------	----------------------

Container Information

Package Level 1 Units	5 piece
Package Level 1 Width	4.19 in 106 mm
Package Level 1 Height	5.3 in 135 mm
Package Level 1 Depth /	6.4 in

Length	163 mm
Package Level 2 Units	25 piece
Package Level 2 Width	5.8 in 147 mm
Package Level 2 Height	8.9 in 226 mm
Package Level 2 Depth / Length	20.9 in 531 mm

Additional Information

Application	To Couple and Effectively Bond Threaded Ends of Rigid Metal Conduit/Intermediate Conduit Where Neither Length of Conduit Can Be Roated
Brand / Label	T&B Rigid Fittings
Material	Malleable Iron
Nominal Size	1-1/4 in
Number of Batteries	0
Product Name	T&B RIGID FITTINGS
Product Type	Compression Couplings & Connectors
Special Functions	Eliminate Conduit Threading.
Standards	UL E23018, CSA
UPC	786210084206

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	8420
Instructions and Manuals	8420

Classifications

ETIM 6	EC000939 - Coupler for installation tubes
ETIM 7	EC000939 - Coupler for installation tubes
UNSPSC	39131707
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5548 >> Electrical conduit coupling

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Rigid Cable Protection Systems

