

PRODUCT-DETAILS

2273

3/4IN 90D LT CORD CONN .500-.625



General Information

Extended Product Type	2273
Product ID	7TBD105240R0004
EAN	5414363134619
Catalog Description	3/4IN 90D LT CORD CONN .500-.625
Long Description	Liquidtight Strain Relief Cord Connector, 3/4 Inch, 90 Degree Bend, Meets Coast Guard CG293, Cord Range 0.500 to 0.625 Inch, Malleable Iron

Ordering

EAN	5414363134619
-----	---------------

Dimensions

Product Net Weight	.372 lb 168.707 g
--------------------	----------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	4.69 in 119 mm
Package Level 1 Height	3.31 in 84 mm

Package Level 1 Depth / Length	6.14 in 156 mm
Package Level 2 Units	30 piece
Package Level 2 Width	6.55 in 166 mm
Package Level 2 Height	5.34 in 136 mm
Package Level 2 Depth / Length	10.9 in 277 mm

Additional Information

Application	Suitable for Use In Hazardous Locations Where General Purpose Equipment is Specifically Permitted by NEC 501-4(B).
Brand / Label	T&B Cord & Cable Fittings
Color	Metallic
Material	Malleable Iron
Number of Batteries	0
Product Name	INSUL. ELECT. FITTING
Product Type	Strain Relief Cord Connectors-90 Degree
Size	3/4 Inch
Special Functions	Meets Coast Guard CG293
Standards	UL E13938, CSA
UPC	786210022734

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000047
Instructions and Manuals	2273

Classifications

ETIM 6	EC000441 - Cable screw gland
ETIM 7	EC000441 - Cable gland
UNSPSC	39121431
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4601 >> Cable gland connector

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

